

NATIONAL LEVEL

MANAGEMENT OF THE THIRD STAGE OF LABOR

This questionnaire collects data on: document review (for the Essential Drug List, Standard Treatments and Guidelines and the curricula for Pre and In-service education regarding management of the third stage of labor); a visit to the pharmaceutical storage site and an interview with the person responsible for pharmaceuticals regarding national level procurement practices and storage of uterotonic drugs.

Please complete the questions below based on reviewing the necessary national-level documents. In some cases, it may be necessary to interview professionals involved in the field.

Q#	QUESTION	RESPONSES	SKIP TO																		
101	Name of person completing questionnaire:	_____																			
102	Country name:	_____																			
103	Name of national storage facility:	_____																			
104	Date of visit to the national level storage facility:	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> </tr> <tr> <td style="text-align: center;">D</td> <td style="text-align: center;">D</td> <td style="text-align: center;">M</td> <td style="text-align: center;">M</td> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> <td></td> </tr> </table>								D	D	M	M	Y	Y						
D	D	M	M	Y	Y																
ESSENTIAL DRUG LIST																					
105	Does this country have an Essential Drug List?	YES.....1 NO.....2	113																		
106	Is a uterotonic drug or drugs included in the national-level Essential Drug List?	YES.....1 NO.....2	113																		
107	If yes, which ones: Oxytocin? Ergometrine? Syntometrine? Misoprostol? Other prostaglandins? CIRCLE ALL RESPONSES GIVEN	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 80%;"></th> <th style="text-align: center; border-bottom: 1px solid black;">YES</th> <th style="text-align: center; border-bottom: 1px solid black;">NO</th> </tr> </thead> <tbody> <tr> <td>OXYTOCIN?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>ERGOMETRINE?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>SYNTOMETRINE?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>MISOPROSTOL?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>OTHER PROSTA-GLANDINS?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>		YES	NO	OXYTOCIN?	1	2	ERGOMETRINE?	1	2	SYNTOMETRINE?	1	2	MISOPROSTOL?	1	2	OTHER PROSTA-GLANDINS?	1	2	
	YES	NO																			
OXYTOCIN?	1	2																			
ERGOMETRINE?	1	2																			
SYNTOMETRINE?	1	2																			
MISOPROSTOL?	1	2																			
OTHER PROSTA-GLANDINS?	1	2																			
108	Which of the uterotonic drugs are registered? Oxytocin? Ergometrine? Syntometrine? Misoprostol? Other prostaglandins?	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 80%;"></th> <th style="text-align: center; border-bottom: 1px solid black;">YES</th> <th style="text-align: center; border-bottom: 1px solid black;">NO</th> </tr> </thead> <tbody> <tr> <td>OXYTOCIN?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>ERGOMETRINE?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>SYNTOMETRINE?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>MISOPROSTOL?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>OTHER PROSTA-GLANDINS?</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>		YES	NO	OXYTOCIN?	1	2	ERGOMETRINE?	1	2	SYNTOMETRINE?	1	2	MISOPROSTOL?	1	2	OTHER PROSTA-GLANDINS?	1	2	
	YES	NO																			
OXYTOCIN?	1	2																			
ERGOMETRINE?	1	2																			
SYNTOMETRINE?	1	2																			
MISOPROSTOL?	1	2																			
OTHER PROSTA-GLANDINS?	1	2																			

Q#	QUESTION	RESPONSES	SKIP TO														
	CIRCLE ALL THAT APPLY																
109	Is public-use procurement of AMTSL drugs restricted to those on the EDL?	YES.....1 NO.....2	112														
110	Please explain:	_____ _____ _____															
111	Where did you find the answer to Q# 109	SPECIFY: _____															
112	What is the indication listed for each of the uterotonic drugs on the national-specific EDL? OXYTOCIN _____ ERGOMETRINE _____ SYNTOMETRINE _____ MISOPROSTOL _____ OTHER PROSTAGLANDINS _____																
STANDARD TREATMENT GUIDELINES																	
113	Do national level Standards and Treatment Guidelines (STGs) for Maternal and Reproductive Health exist for this country?	YES.....1 NO.....2	124														
114	In what document are the national level STG's cited?	DOCUMENT: _____															
115	What is the date of the document in which national-level STGs for Maternal and Reproductive Health are cited? ENTER 0'S IF DATE IS NOT WRITTEN ON REORT	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> </tr> <tr> <td style="text-align: center;">D</td> <td style="text-align: center;">D</td> <td style="text-align: center;">M</td> <td style="text-align: center;">M</td> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> <td></td> </tr> </table>								D	D	M	M	Y	Y		
D	D	M	M	Y	Y												
116	Is the practice of AMTSL specifically promoted in the national-level STGs?	YES.....1 NO.....2	122														
117	Do they specifically mention: 10 IU oxytocin as 1 st line drug/dose of uterotonic?	<table style="display: inline-table; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 0 10px;"><u>YES</u></td> <td style="text-align: center; padding: 0 10px;"><u>NO</u></td> </tr> <tr> <td style="text-align: center;">10 IU OXYTOCIN</td> <td style="text-align: center;">1 2</td> </tr> </table>	<u>YES</u>	<u>NO</u>	10 IU OXYTOCIN	1 2											
	<u>YES</u>	<u>NO</u>															
	10 IU OXYTOCIN	1 2															
Stage of labor?	<table style="display: inline-table; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 0 10px;">AFTER DELIVERY OF BABY</td> <td style="text-align: center; padding: 0 10px;">1 2</td> </tr> </table>	AFTER DELIVERY OF BABY	1 2														
AFTER DELIVERY OF BABY	1 2																
Timing of uterotonic administration?	<table style="display: inline-table; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 0 10px;">WITHIN 1 MIN OF DELIVERY OF BABY</td> <td style="text-align: center; padding: 0 10px;">1 2</td> </tr> </table>	WITHIN 1 MIN OF DELIVERY OF BABY	1 2														
WITHIN 1 MIN OF DELIVERY OF BABY	1 2																

Q#	QUESTION	RESPONSES	SKIP TO
	Cord traction?	CORD TRACTION 1 2	
	Manual support to uterus?	MANUAL SUPPORT TO UTERUS 1 2	
	Fundal massage immediately after delivery of the placenta?	MASSAGE AFTER DELIVERY OF PLACENTA 1 2	
	Palpation to assess for continued need for massage for 2+ hours	PALPATION/ MASSAGE FOR 2 HOURS 1 2	
118	What is the 1st line uterotonic drug and what dose is recommended for this drug for the prevention of postpartum hemorrhage in the facility level protocols or guidelines? TYPE 1st LINE _____ DOSE 1st LINE _____		
119	What is the 2nd line uterotonic drug and what dose is recommended for this drug for the prevention of postpartum hemorrhage in the facility level protocols or guidelines? TYPE 2 nd LINE _____ DOSE 2nd LINE _____ NO 2 ND LINE DRUG LISTED.....9		
120	Are there other recommended practices as part of AMTSL included in the Standard Treatment Guidelines?	NO, NONE.....1 YES, SPECIFY: _____8	
121	Do you have a photocopy of the section of the STG that relates to AMTSL? PHOTOCOPIES SHOULD BE KEPT BY THE COUNTRY COORDINATOR TO ASSIST IN WRITING THE POLICY CHAPTER OF THE FINAL REPORT	YES.....1 NO.....2	
122	Are there policies in the national-level STGs that restrict the practice of AMTSL?	YES.....1 NO.....2	124
123	If yes, what are these policies? Restrictions by level of facility? _____ Restrictions by level of provider? _____ Other? _____		
PRE AND IN-SERVICE EDUCATION			

Q#	QUESTION	RESPONSES	SKIP TO												
124	Is AMTSL currently included in the pre-service curriculum for midwives, nurses and doctors at publicly-sponsored schools?	<table border="0"> <tr> <td></td> <td style="text-align: center;"><u>YES</u></td> <td style="text-align: center;"><u>NO</u></td> </tr> <tr> <td>MIDWIVES</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>NURSES</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>DOCTORS</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> </table>		<u>YES</u>	<u>NO</u>	MIDWIVES	1	2	NURSES	1	2	DOCTORS	1	2	
	<u>YES</u>	<u>NO</u>													
MIDWIVES	1	2													
NURSES	1	2													
DOCTORS	1	2													
125	<p>IF YES FOR ANY: MIDWIVES, NURSES OR DOCTORS IN Q124, PLEASE RESPOND TO Q 125 HERE. IF NO FOR ALL TYPES OF PROVIDERS IN Q124, SKIP TO Q127. Were you able to obtain a photocopy of the page/s describing the AMTSL procedure, as it is being taught?</p>	<table border="0"> <tr> <td></td> <td style="text-align: center;"><u>YES</u></td> <td style="text-align: center;"><u>NO</u></td> </tr> <tr> <td>FOR MIDWIVES</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>FOR NURSES</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>FOR DOCTORS</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> </table>		<u>YES</u>	<u>NO</u>	FOR MIDWIVES	1	2	FOR NURSES	1	2	FOR DOCTORS	1	2	IF ALL YES's GO TO 127
	<u>YES</u>	<u>NO</u>													
FOR MIDWIVES	1	2													
FOR NURSES	1	2													
FOR DOCTORS	1	2													
126	If no, who told you that AMTSL is not included in the pre-service curriculum for midwives, nurses or doctors at publicly-sponsored schools?	<p>SPECIFY: MIDWIFE CURRIC: _____.</p> <p>NURSE CURRIC. _____</p> <p>DOCTOR CURRIC. _____</p>													
127	Do you have evidence that in-service training programs for AMTSL have been conducted in public facilities during the past year?	<table border="0"> <tr> <td></td> <td style="text-align: center;"><u>YES</u></td> <td style="text-align: center;"><u>NO</u></td> </tr> <tr> <td>FOR MIDWIVES</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>FOR NURSES</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>FOR DOCTORS</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> </table>		<u>YES</u>	<u>NO</u>	FOR MIDWIVES	1	2	FOR NURSES	1	2	FOR DOCTORS	1	2	IF ALL NO's GO TO SEC. 2
	<u>YES</u>	<u>NO</u>													
FOR MIDWIVES	1	2													
FOR NURSES	1	2													
FOR DOCTORS	1	2													
128	Who told you about the in-service training programs?	<p>SPECIFY: MIDWIFE TRN'G: _____.</p> <p>NURSE TRN'G. _____</p> <p>DOCTOR TRN'G _____</p>													
129	IF NO TO Q127 FOR ALL 3 TYPES OF PROVIDER, SKIP TO SECTION 2. Is the definition of AMTSL used in in-service training the same as the definition of AMTSL used in pre-service educational materials?	<p>YES.....1</p> <p>NO.....2</p>	SEC. 2												
130	If no, how does it differ?	<p>SPECIFY: _____ _____ _____</p>													

ALL GO TO SECTION 2

Please provide answers to the following questions either by your own direct observation or by interviewing the Chief Pharmacist or other professional responsible for drug storage at the central warehouse. Ask or collect information on each numbered question about each drug before continuing on to the following numbered question.

Drug	Oxytocin	Ergometrine	Syntometrine	Misoprostol	Other Prostaglandin (Specify)
201: Is this drug routinely procured in this country?	YES.....1 NO.....2	YES.....1 NO.....2	YES.....1 NO.....2	YES.....1 NO.....2	YES.....1 NO.....2
202: Is the drug available at time of visit?	YES.....1 NO.....2	YES.....1 NO.....2	YES.....1 NO.....2	YES.....1 NO.....2	YES.....1 NO.....2
How information was obtained?	YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2	YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2	YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2	YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2	YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2
INSTRUCTIONS FOR THE REST OF THE QUESTIONNAIRE:	IF OXYTOCIN IS NOT AVAILABLE AT TIME OF VISIT (SEE #202), LEAVE THE REST OF THIS COLUMN BLANK, AND CONTINUE ASKING QUESTIONS ABOUT ERGOMETRINE	IF ERGOMETRINE IS NOT AVAILABLE AT TIME OF VISIT (SEE #202), LEAVE THE REST OF THIS COLUMN BLANK, AND CONTINUE ASKING QUESTIONS ABOUT SYNTOMETRINE	IF SYNTOMETRINE IS NOT AVAILABLE AT TIME OF VISIT (SEE #202), LEAVE THE REST OF THIS COLUMN BLANK, AND CONTINUE ASKING QUESTIONS ABOUT MISOPROSTOL	IF MISOPROSTOL IS NOT AVAILABLE AT TIME OF VISIT (SEE #202) , LEAVE THE REST OF THIS COLUMN BLANK, AND CONTINUE ASKING QUESTIONS ABOUT OTHER PROSTAGLANDINS	IF OTHER PROSTAGLANDIN IS NOT AVAILABLE AT TIME OF VISIT (SEE #202) , LEAVE THE REST OF THIS COLUMN BLANK, AND SKIP TO QUESTION #204

<p>205: Required storage temperature as recommended by the manufacturer?</p> <p>How information was obtained?</p>	<p>2-8 DEGREES C.....1 < 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4 NOT LOCATED.....5</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>2-8 DEGREES C.....1 < 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4 NOT LOCATED.....5</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>2-8 DEGREES C.....1 < 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4 NOT LOCATED.....5</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>2-8 DEGREES C.....1 < 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4 NOT LOCATED.....5</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>2-8 DEGREES C.....1 < 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4 NOT LOCATED.....5</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>
<p>206: Required storage conditions re: lighting as recommended by the manufacturer?</p> <p>How information was obtained?</p>	<p>NOT STATED.....1 STORE AWAY FROM LIGHT.....2 NOT LOCATED.....3</p> <p>OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>NOT STATED.....1 STORE AWAY FROM LIGHT.....2 NOT LOCATED.....3</p> <p>OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>NOT STATED.....1 STORE AWAY FROM LIGHT.....2 NOT LOCATED.....3</p> <p>OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>NOT STATED.....1 STORE AWAY FROM LIGHT.....2 NOT LOCATED.....3</p> <p>OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>NOT STATED.....1 STORE AWAY FROM LIGHT.....2 NOT LOCATED.....3</p> <p>OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1</p> <p>PHARMACIST'S/ OTHER'S REPORT 2</p>
<p>207: Describe the</p>	<p>2-8 DEGREES C.....1</p>	<p>2-8 DEGREES C.....1</p>	<p>2-8 DEGREES C.....1</p>	<p>2-8 DEGREES C.....1</p>	<p>2-8 DEGREES C.....1</p>

<p>temperature at which each drug is stored in the pharmacy:</p> <p>How information was obtained?</p>	<p>< 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>< 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>< 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>< 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>< 15 DEGREES C.....2 15-25 DEGREES C....3 ROOM TEMP.....4</p> <p>OTHER (SPECIFY): _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>
<p>208: Describe the light conditions in which each drug is stored in the pharmacy:</p> <p>How information was obtained?</p>	<p>KEPT IN DARK.....1 IN DAYLIGHT, AWAY FROM DIRECT SUN.....2 IN DIRECT SUN.....3 OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>KEPT IN DARK.....1 IN DAYLIGHT, AWAY FROM DIRECT SUN.....2 IN DIRECT SUN.....3 OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>KEPT IN DARK.....1 IN DAYLIGHT, AWAY FROM DIRECT SUN.....2 IN DIRECT SUN.....3 OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>KEPT IN DARK.....1 IN DAYLIGHT, AWAY FROM DIRECT SUN.....2 IN DIRECT SUN.....3 OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>	<p>KEPT IN DARK.....1 IN DAYLIGHT, AWAY FROM DIRECT SUN.....2 IN DIRECT SUN.....3 OTHER (SPECIFY) _____8</p> <p>YOUR OBSERVATION 1 PHARMACIST'S/ OTHER'S REPORT 2</p>
<p>209: How is the quantity of drug to order determined?</p>	<p>BASED ON CONSUMPTION.....1 STANDARD QUANTITY (DETERMINED BY CENTRAL LEVEL).....2 STANDARD QUANTITY (PERPETUAL NEED).....3 OTHER (SPECIFY)</p>	<p>BASED ON CONSUMPTION.....1 STANDARD QUANTITY (DETERMINED BY CENTRAL LEVEL).....2 STANDARD QUANTITY (PERPETUAL NEED).....3 OTHER (SPECIFY)</p>	<p>BASED ON CONSUMPTION.....1 STANDARD QUANTITY (DETERMINED BY CENTRAL LEVEL).....2 STANDARD QUANTITY (PERPETUAL NEED).....3 OTHER (SPECIFY)</p>	<p>BASED ON CONSUMPTION.....1 STANDARD QUANTITY (DETERMINED BY CENTRAL LEVEL).....2 STANDARD QUANTITY (PERPETUAL NEED).....3 OTHER (SPECIFY)</p>	<p>BASED ON CONSUMPTION.....1 STANDARD QUANTITY (DETERMINED BY CENTRAL LEVEL).....2 STANDARD QUANTITY (PERPETUAL NEED).....3 OTHER (SPECIFY)</p>

	_____8	_____8	_____8	_____8	_____8
210: Purchase price (per ampoule for the warehouse: [<i>local currency</i>])	ENTER LOCAL CURRENCY	ENTER LOCAL CURRENCY	ENTER LOCAL CURRENCY	ENTER LOCAL CURRENCY	ENTER LOCAL CURRENCY